

Chemical Restraint

Physicians: How to place order for Chemical Restraint?

- 1. Login as a Prescriber and open the Patient chart.
- 2. Single left click on +Add besides Orders from left hand side blue menu.
- 3. Search for Chemical Restraint in Search window as shown below.



4. Single left click on Done on bottom right of the window.

ad Goument Medication by His Reconciliation	Uneck Interactions	🖋 Meds History 🔮 Admission ✔ Outpu				
View	4 🛛 😵 🛇 🕂 Add to Phase - 🛕 Check Alerts 🎱 Comments Start: Now 📖 Du	ration: None				
Inders for Signature	Represented to the second status of the second stat	e Details				
ans	MH Chemical Restraint (Planned Pending)					
Document In Plan	4 Admission/Transfer/Discharge					
Medical	This Power Plan is intended to be used primarily for patients admitted to the adequate experience, knowledge or comfort prescribing the medications included the second	Mental Health program, however, it can be used in other areas if the provider has uded.				
MH Chemical Kestraint (Initiated Pending)	⊿ Medications					
PHARM Pharmacist to Dose Labs (Initiated) (ARDIO Cardiac Catheterization Post-Procedure MH CloZAPine Pre-Initiation (Adult & Adolescen Incology ggetted Plans (0) ders [The concentrant injection of CLANZapine IM and benzodiazepines IM (such as LORasepart, disatePAM, or midazolam) is NOT RECOMMENDED. While not recommended, ensure OLANZapine IM and benzodiazepines IM are separated by AT LEAST 2 hours. The following patients hould be CLOSEV VONTORED for excessive sedation and calcinespiratory depression: if any benzodiazepine given (roat or IM) within 24 hours of CLANZapine IM in older adults: in patients miching other medication that can induce hypotension, bradycardia, or respiratory or CNS depression 					
Diet	STAT IM - for chemical restraint					
Activity Vital Signs/Monitoring	Collarepart	 2 mg, IM, INJ, once Monitor closely for excessive sedation and cardiorespiratory depressi 				
Patient Care Mental Health and Addictions	C S haloperidol	 2.5 mg, IM, INJ, once Monitor closely for excessive sedation and cardiorespiratory depressi 				
>	> 3 NOTE: do NOT order IM LORazepam with IM OLANZapine					
Diagnoses & Problems						
Related Results	T Details					
Formulary Details	L.					
	Die Table Orders For Contemptore Contemp Contemp Contemp State	Disc for Later Indiate N				

Version 1 - November 2024



niagarahealth

1





- 5. Single left click on the box beside medication/s you want to order and then either:
 - a. Click on the <u>Initiate Now</u> button at the bottom right of the window if you are ordering the medication as a STAT order. (Go to step #6)
 - b. Click on the <u>Plan for Later</u> button if you want to leave an order for nursing to be able to access in the future. (Skip to step #7)
- 6. Single left click on Orders for Signature at the bottom right of the window.

∢ %	0 +	Add to Phase •	🛄 Comments	Start: 2	2024-Oct-22 09:07	Duration	None					
S	7	Component			Status	Do	ie	Details			1	^
MH Cher	MH Chemical Restraint (Initiated Pending)											
⊿ Adm	nission/	Transfer/Dischar	qe									
	<u> (</u>	This Power Plan adequate experi	n is intended to be ience, knowledge	used prin or comfor	narily for patients adm rt prescribing the medi	itted to the cations inc	Mental uded.	Health progra	im, however, it can t	be used in other areas	s if the provider has	
⊿ Med	ication	s										
	- 3	The concomita	nt injection of OL	ANZapine	IM and benzodiazepin	es IM (such	as LOR	izepam, diaze	PAM, or midazolam) is NOT RECOMMEN	VDED.	
	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	The following p - if any benzodi - if previous do: - in older adults - in patients wit - in patients rec	atients should be azepine given (or ses of OLANZapir ; h cardiovascular eiving other med	CLOSELY   al or IM) w le IM giver disease ication tha	MONITORED for exces vithin 24 hours of OLA! n in last 24 hours at can induce hypotens	sive sedatic NZapine IM sion, bradyc	n and c	rdiorespirato respiratory o	ny depression: nr CNS depression			
2	_ 🥱	STAT IM - for ch	nemical restraint									
:\ <b>@</b> :	S.	LORazepam			Order		•	2 mg, IM, II Monitor clo	NJ, once, First Dose: osely for excessive se	22/Oct/2024 09:07 ED dation and cardiores	DT, Stop Date: 22/ spiratory depressi	
	8	haloperidol					•	2.5 mg, IM, Monitor clo	INJ, once osely for excessive se	edation and cardiores	piratory depressi	
	_ 🏈	NOTE: do NOT	order IM LORazep	am with I	M OLANZapine							~
🔺 Deta	ils											
Dx Ta	ble	Orders For Cosi	gnature Orders	For Nurse F	Review Save as My F	Favorite				😯 Initiate Now	<ul> <li>Orders For Signature</li> </ul>	3

#### 7. Single left click on Sign on the bottom right of the window.

🔊 💿 🖳 🕅 Order Name	Status	Start	Details
MH Chemical	Restraint Initiated.	•••	placing 1 order(s)
⊿ SC 1MA; SC1M01; A Fin:22-0	01101 Admit: 2024	-Feb-22 15:53	
⊿ Medications			
🗞 🗈 LORazepam	Order	2024-Oct-22 09:07	2 mg, IM, INJ, once, First Dose: 22/Oct/2024 09:07 EDT, Stop Date: 22/Oct/2024 09:07 EDT Monitor closely for excessive sedation and cardiorespiratory depression. The concomitant injection
▲ Details			
0 Missing Required Details Dx	Table Orders Fo	r Cosignature Orders	For Nurse Review Sign

Version 1 - November 2024

niagarahealth





#### Nursing: How to view a Chemical Restraint order from CareCompass and ED LaunchPoint?

- 1. If the Chemical Restraint is being ordered in the moment when it is needed it will appear as a STAT medication on the scheduled portion of the MAR.
  - a. As an inpatient nurse you will see a red star burst on the patient's name in Care Compass to alert you to this order. Single left click on red star burst and the Items for Review window will open.

PoweChart Organizer for NHS Test01, Norse - MHA – O X								
Task Edit View Patient Chart Links Navigation Help								
👫 CareCompass 🎍 Patient List 🏩 Staff Assignment 🎬 Group Note 🚟 Schedule 🎬 Mental Health Organizer 🌇 Referal Management 📲 Safety and Attendance with Timers 脳 RAI Config 🐃 NIAG Admin Page 📓 eCoach 🎔 Cardiovascular Perioperative Tracking 💡								
🖸 😋 Cerner Bridge  😋 C	🐧 Cemer Bridge 🐧 Clinical Education 🐧 Service Desk Help 🐧 HDS ESPAN 🧅 🇱 Suspend 📲 Exit 🛒 Point Of Care Result Entry 📄 Calculator 🧌 AdHoc 💷 Made Cation Administration 🗓 Specimen Collection 🔒 PM Conversation – 🕌 Communicate 🔹							
SYSTEMTEST, MHA	rSTEMTEST, MHATHREE ▼							
CareCompass			출출 Full:					
*	💐 📘 💶 💼 🛃							
Patient List: SC	S 1M Mental Health Acute 🛛 🗙 List	t Maintenance 🛛 🛉 Add Patient 🛛 💰 Establish Relationships		<b>9</b> 1				
Location		Vist	Care Team	Activities				
SC1M17 - A	ZZPHL, ICNINE 33yrs   Female     No Relationship	-		^				
SC1M02 - B	UNITTEST, GLFFIVESCS 15yrs   Female     No Relationship	-	-	-				
SC1M11 - A	SYSTEMTEST, MHSNINETY 81yrs   Male     No Relationship E	-	-	-				
SC1M01 - A	A SYSTEMTEST, MHATHR 44yrs   Fernale     No Aller	Overdose LOS: 8m	NHS Test01, Psychiatrist	PRN/Continuous				
SC1M02 - B	SYSTEMTEST, MHASEVENT 25yrs   Female     No Relationship	-	-	-				
SC1M99 - B	SYSTEMTEST, MHARAITWO 37yrs   Female     No Relationship	-	-	-				
SC1M21 - A	SYSTEMTEST, MHARAITHREE 46yrs   Prefer no     No Relatio	-	-	-				
SC1M10 - B	SYSTEMTEST, MHARAIFOUR 45yrs   Female     No Allergies	depression LOS: 3m 3w	NHS Test01, Psychiatrist	0				
Activity Timeline	OVOTENTECT MULAOMELIUM			-				

b. Single left click on the Mark as Reviewed button. The window is closed and you will be directed back to CareCompass page.

Items for Review				5	3
SYSTEMTEST, MHATHREE Female 44yrs				SC1M01 - /	A
Results	Order	°S			
No new results			Ordered By	Entered By	
	<b>&gt;</b>	& ICRazepam 2 mg = 0.5 mL, IM, INJ, once, First Dos Comment: Monitor closely for excessiv	NHS Test 01, Psychi	NHS Test01, Psy 09:08 Today	
	<b>~</b>	Select All			
			Mark as	Reviewed Cancel	

Version 1 - November 2024

3







- 2. Emergency nurses will NOT see a red star burst alert but the chemical restraint will appear as a medication on the activity list in ED LaunchPoint.
- 3. Both Inpatient and ED nurses will be able to open the patient's chart and single left click on MAR Summary to see the chemical restraint as shown below. (See "LORazepam")
- 4. From here you can proceed to administer the medication as ordered. (See the Medication Administration Tip Sheet)



Version 1 - November 2024







#### Nursing: How to access a Chemical Restraint order that has been ordered in a planned state?

- For patient's who are at risk to harm themselves or others based on a physician's risk assessment, chemical restraint orders may be written before they are needed in order to prevent a delays when high risk interventions are necessary to maintain safety. These orders are not active orders, but exist in a planned state to be initiated only if needed.
- 2. To access these orders from CareCompass the chemical restraint order is shown on the far-right side within the Plan of Care.

CareCompass						💱 Full screen 🛛 📄 Print	✓ 7 minutes a	go
	🔍 🔍 🚺 🔹 🖌							
Patient List: Ch	nistopher 💙 💸 List Maintenance 🛛 🕂 Add Patie	nt 🔹 🕏 Establish Relationships				4	0	
Location SC1B04 - A	Patient Mhanursing04, Isabella 69yrs   Female   Allernies	Visit suicidal ideation LOS: 2m 2w Acuity:	Care Team Sandhu, Navdeep Business 9053784647	Numeri	Activities	Plan of Care Plan of Care MH Psychiatry Admission Patient Admission Orders	n to Men	^
SC1B04 - B	Mhanursing05, Ava 69yrs   Female   Allergies	suicidal ideation LOS: 2m 2w Acuity:	Sandhu, Navdeep Business 9053784647		PRN/Continuous	<ul> <li>MH Chemical Restraint</li> <li>MH Psychiatry Admission</li> <li>Patient Admission Orders</li> </ul>	n to Men	

3. Nurses will be able to initiate these orders if needed by clicking on chemical restraint through CareCompass or by entering into patient chart and opening the Orders tab. Using either pathway will show the chemical restraint order as below "MH Chemical Restraint (Planned)"



**4.** After selecting the planned order shown above the nurse will need to click the "Initiate now" button in the bottom right corner of the window followed by "Orders for Signature", and "sign".

Version 1 - November 2024







5. Once the restraint order is initiated by the nurse it will appear on the MAR scheduled as STAT.

Medications	31/Oct/2024 16:16
Scheduled	
60	
haloperidol	
1 mg = 1 tablet(s), PO, TAB, q6h, First Dose:	
08/19/24 12:00:00 EDT	
haloperidol	
🔶 📷 🤤 🔁	STAT
haloperidol	Not given
5 mg = 1 mL, IM, INJ, once, First Dose:	within 5 days.
10/31/24 16:16:00 EDT, Stop Date: 10/31/24	
16:16:00 EDT, STAT	
Chemical Restraint Monitor closely for exces	
haloperidol	
🗣 词 🖵 🛅	STAT
LORazepam	Not given
2 mg = 0.5 mL, IM, INJ, once, First Dose:	within 5 days.
10/31/24 16:16:00 EDT, Stop Date: 10/31/24	
To: To: UU ED T, STAT Monitor closely for excessive sedation and c	
LOBazanam	
000	
nicotine (nicotine 14 mg/24 hr transdermal f	
14 mg 1 patch, IransDERMAL, PAICH, dally, Eirst Docar 09/20/24 10:00:00 EDT	
First Dose: 00/20/24 10:00:00 ED1	
Datab Damawa	
PKN	100
000 PRN	400 mg
100 mg = 1 tablet(c) BC TAB = Ch BBN == in	within 5 days
400  mg = 1  tablet(s), PO, IAB, qbn, PRN pain,  First Doce: 08/19/24 10:27:00 EDT	unum 5 days.
Maximum ibuprofen from all sources 2 400	
ibunrofen	
in a protein	

Version 1 - November 2024

niagarahealth

