


TIP SHEET HOSPITAL INFORMATION SYSTEM (HIS)


VIOLENCE ASSESSMENT TOOL (VAT)

The Violence Assessment Tool (VAT) is an aid to assist in clinical evaluation and documentation of verbal and physical aggression towards others. This tool may be found in admission documentation or as a PowerForm in an ADHOC file.

- 1) Log into patient chart
- 2) Left-click the AdHoc tab on the grey Banner/Organizer Bar

The AdHoc tab opens and a menu of file options will appear on the left hand side (each of these files have a sub-files in them). For demonstration purposes, we are using the Mental Health Assessment Tools.





 To open the Violence Assessment Tool, left-click into the toggle-box beside the Violence Assessment Tool, and then left-click the Chart button in the bottom-right corner of the window.

Ad Hoc Charting - 2	ZZZTEST, ONE	
MHA Nursing - Adult Diricits Safety Plan MHA Nursing - Child Diricits Safety Plan MHA Assessment Tools Admission/Transfer/Discharge All Items Discharge Screener Diricits Safety Version Adult Diricits Safety Version Adult Diricits Safety Version Adult Diricits Safety Version Adult Diricits Safety Version Child Diricits Safety Diricits Safety Diricits Safety Diricits Safety Diricits Diricits Safety Diricits Safety Diricits Diricits D	MoCA - Montreal Cognitive Assessment D RAI - MH Hohmsion RAI - MH Change in Status RAI - MH Discharge RAI - MH Discharge RAI - MH Discharge RAI - MH Short Stay RAI - MH Short Stay Relapse Prevention Plan Violence Assessment Tool (VAT)	









TIP SHEET HOSPITAL INFORMATION SYSTEM (HIS)

- 4) Complete the History of Violence and Observed Behaviours on the VAT.
 - When the history is complete a score is generated and populates automatically. If incomplete, no scores will show.
 - Once the score is calculated, you can multi-select intervention activities (listed below) based on the calculated score.
 In the example to the right, the score is High (7), so you can only select interventions from the "High Score" area.

H 🛇 🚿 👩 🛊 4			
rformed on: 27/Sep/202		2000	Show Sign Confirn NHS Test01, Nurse -
AT Assessment Tool		59.	Terro Tescol, Teurse -
AT Triggers/Contributing Fac	History of Violence		
	Score 1 For Past Occurrence of Any of the Following:		
	Exercising physical force, in any setting, towards any person including a caregiver t Attempting to exercise physical force, in any setting, towards any person including		
	Statement or behaviours that could reasonably be interpreted as threatenting to ex-		
	against any person including a caregiver that could cause injury.	ercise priysical r	orce, in any seco
	O 1 O N/A		
	Observed Behaviours		
	Score 1 For Each of the Observed Behaviour Categories		
	Confused (Disoriented - e.g. unware of time, place, or person)	01	O N/A
	conded (Disonenced - e.g. dinware of time, place, or person)		C IVS
	Irritable (Easily annoyed or angered; Unable to tolerate the presence of others; Unwilling to follow instructions)	01	O N/A
		01	O N/A
	Boisterous (Overly loud or noisy - e.g. slamming doors, shouting, etc)	O.I	O N/M
	Verbal threats (Raises voice in an intimidating or threatening way; Shouts angrily)	O 1	O N/A
	Physical threats (Raises arms/legs in an aggressive or agitated way; Makes a fist; Takes an aggressive stance; Moves/lunges forefully towards others)	O 1	O N/A
	Attacking objects (Throws objects; Bangs or breaks windows; Kicks objects; Smash furniture)	nes <mark>O 1</mark>	O N/A
	Agitate/Impulsive (Unable to remain composed; Quick to overreact to real and	O 1	O N/A
	imagined disappointments; Troubled, nervous, restless or upset; Spontaneous, hast Paranoid/Suspicious (Unreasonably or obsessively anxious; Overly suspicious or	y	O N/A
	mistrustfil - e.g. belief of being spied on or someone conspiring to hurt them) Substance intoxication/withdrawal (Intoxicated or in withdrawal from alcohol or dru	us) O 1	O N/A
			Contract of the second
	Socially inappropriate/digruptive behaviour (Makes digruptive poises: Screams: Enga	0.1	O N/A
	Socially inappropriate/disruptive behaviour (Makes disruptive noises; Screams; Enga in self-abusive acts, sexual behaviour or inappropriate behaviour - e.g. hoarding,	ges O 1	O N/A
		ges O 1	O N/A
	in self-abusive acts, sexual behaviour or inappropriate behaviour - e.g. hoarding, smearing feces/food.etc.) <	ges <mark>O 1</mark>	O N/A
otal Score	in self-abusive acts, sexual behaviour or inappropriate behaviour - e.g. hoarding, smearing feces/food.etc.) <	ges <mark>O 1</mark>	
otal Score	in self-abusive acts, sexual behaviour or inappropriate behaviour - e.g. hoarding, smearing feces/food.etc.) <	ges <mark>C 1</mark>	
otal Score	in self-abusive acts, sexual behaviour or inappropriate behaviour - e.g. hoarding, smearing feces/food. etc.) c	ges <mark>O 1</mark>	
	in self-abusive acts, sexual behaviour or inappropriate behaviour - e.g. hoarding, smearing feces/food. etc.) c	ges <mark>O 1</mark>	
	in self-abusive acts, sexual behaviour or inappropriate behaviour - e.g. hoarding, smearing feces/food. etc.) c	ges <mark>O 1</mark>	
tal Score	in self-abusive acts, sexual behaviour or inappropriate behaviour - e.g. hoarding, smearing feces/food, etc.)	ges C1	
al Score	in self-abusive acts, sexual behaviour or inappropriate behaviour - e.g. hoarding, smearing feces/food, etc.)	ges C1	
al Score	in self-abusive acts, sexual behaviour or inappropriate behaviour - e.g. hoarding, smearing feces/food, etc.)	ges C 1	
al Score / Score	in self-abusive acts, sexual behaviour or inappropriate behaviour - e.g. hoarding, smearing feces/food, etc.) Montoring and remaining alert for any potential increase in risk. Changes in risk behaviours communicated to manager/designate Changes in risk behaviours communicated to manager/designate Communication devices/processes in place	ges C1	
al Score / Score derate Score	in self-abusive acts, sexual behaviour or inappropriate behaviour - e.g. hoarding, semaning feces/food, etc.)	teachings applied	
al Score / Score derate Score	in self-abusive acts, sexual behaviour or inappropriate behaviour - e.g. hoarding, smearing feces/food, etc.)	teachings applied ocesses in place	In Progress
el Score • Score derate Score	in self-abusive acts, sexual behaviour or inappropriate behaviour - e.g. hoarding, smearing feces/food, etc.)	teachings applied ocesses in place communicated to r	In Progress
el Score • Score derate Score	in self-abusive acts, sexual behaviour or inappropriate behaviour - e.g. hoarding, smearing feces/food, etc.) c	teachings applied ocesses in place comminicated to n culture safe to	In Progress
el Score • Score derate Score	in self-abusive acts, sexual behaviour or inappropriate behaviour - e.g. hoarding, smearing feces/food, etc.) c	teachings applied ocesses in place comminicated to n culture safe to	In Progress
al Score / Score derate Score	in self-abusive acts, sexual behaviour or inappropriate behaviour - e.g. hoarding, smearing feces/food, etc.)	teachings applied ocesses in place comminicated to n culture safe to	In Progress
al Score / Score derate Score	in self-abusive acts, sexual behaviour or inappropriate behaviour - e.g. hoarding, smearing feces/food, etc.) c	teachings applied ocesses in place comminicated to n culture safe to	In Progress
al Score 1 Score derate Score 3)	in self-abusive acts, sexual behaviour or inappropriate behaviour - e.g. hoarding, inself-abusive acts, sexual behaviour or inappropriate behaviour - e.g. hoarding, inself-abusive acts, sexual behaviour or inappropriate behaviour - e.g. hoarding, inself-abusive acts, sexual behaviour or inappropriate behaviour - e.g. hoarding, inself-abusive acts, sexual behaviour or inappropriate behaviour - e.g. hoarding, inself-abusive acts, sexual behaviour or inappropriate behaviour - e.g. hoarding, inself-abusive acts, sexual behaviour or inappropriate behaviour - e.g. hoarding, inself-abusive acts, sexual behaviour or inappropriate behaviour - e.g. hoarding, inself-abusive acts, sexual behaviour or inappropriate behaviour acts, sexual behaviour or inappropriate self-protection inself-abusive acts, sexual behaviour or inappropriate self-protection indicates the abusive acts assessment completed indicates the abusive acts assessment completed	teaching: applied occesses in place communicated to communicated to co ad	In Progress
al Score 1 Score derate Score 3)	in self-abusive acts, sexual behaviour or inappropriate behaviour - e.g. hoarding, search feces/food, etc.) c	teaching: appled ocesses in place or communicated to adu, when safe to re d	In Progress manager/designate
al Score 1 Score derate Score 3) n Score 5)	in self-abusive acts, sexual behaviour or inappropriate behaviour - e.g. hoarding, search faces/food.etc.) (teaching: applied ocesses in place communicated to communicated to utb, when safe to o d teaching: applied ocesses in place	In Progress In Progress nanager/designate do so
al Score v Score derate Score 3) h Score 5) y High Score	in self-abusive acts, sexual behaviour or inappropriate behaviour - e.g. hoarding, smearing feces/food, etc.) c	teaching: applied ocesses in place communicated to communicated to duits, when sale to de d	In Progress
al Score v Score derate Score 3) h Score 5) y High Score	in self-abusive acts, sexual behaviour or inappropriate behaviour - e.g. hoarding, search feces/food.etc.) (tesching: applied ocesse in place communicated to communicated to uits, when safe to o d teaching: applied ocesses in place occumunicated to uits, when safe to o d	In Progress In Anager/designate ao so
al Score v Score derate Score 3) h Score 5) y High Score	in self-abusive acts, sexual behaviour or inappropriate behaviour - e.g. hoarding, smearing feces/food, etc.) c	tesching: applied ocesse in place communicated to communicated to uits, when safe to o d teaching: applied ocesses in place occumunicated to uits, when safe to o d	In Progress In Anager/designate ao so
al Score v Score derate Score 3) h Score 5) y High Score	in self-abusive acts, sexual behaviour or inappropriate behaviour - e.g. hoarding, smaring faces/food, etc.) c in self-abusive acts, sexual behaviour or inappropriate behaviour - e.g. hoarding, smaring faces/food, etc.) c	teaching: appled ocesses in place communicated to in duit, when sate to re ed teaching: appled ocesses in place communicated to uts, when sate to re did and a set to re did and a set to re did and a set to re did a set to re did did a set to re did a set to re did did d	In Progress In Anager/designate ao so
al Score v Score derate Score 3) h Score 5) y High Score	in self-abusive acts, sexual behaviour or inappropriate behaviour - e.g. hoarding, smarine feces/food, etc.) c	teaching: appled ocesses in place communicated to in duit, when sate to re ed teaching: appled ocesses in place communicated to uts, when sate to re did and a set to re did and a set to re did and a set to re did a set to re did did a set to re did a set to re did did d	In Progress In Anager/designate ao so
	in self-abusive acts, sexual behaviour or inappropriate behaviour - e.g. hoarding, smaring faces/food, etc.) c in self-abusive acts, sexual behaviour or inappropriate behaviour - e.g. hoarding, smaring faces/food, etc.) c	teaching: appled ocesses in place communicated to in duit, when sate to re ed teaching: appled ocesses in place communicated to uts, when sate to re did and a set to re did and a set to re did and a set to re did a set to re did did a set to re did a set to re did did d	In Progress In Anager/designate ao so
al Score v Score derate Score 3) h Score 5) y High Score	in self-abusive acts, sexual behaviour or inappropriate behaviour - e.g. hoarding, smarine feces/food, etc.) c in self-abusive acts, sexual behaviour or inappropriate behaviour - e.g. hoarding, smarine feces/food, etc.) c in self-abusive acts, sexual behaviour or inappropriate behaviour - e.g. hoarding, smarine feces/food, etc.) c in self-abusive acts, sexual behaviour or inappropriate behaviour - e.g. hoarding, smarine feces/food, etc.) c	teaching: appled ocesses in place communicated to in duit, when sate to re ed teaching: appled ocesses in place communicated to uts, when sate to re did and a set to re did and a set to re did and a set to re did a set to re did did a set to re did a set to re did did d	In Progress In Anager/designate ao so







- Once the assessment and intervention section is complete, move on to the second part of the VAT by clicking VAT triggers/Contributing factors in the left menu(below)
 - The Triggers/Contributing factors form is to be completed with the client once the client is able. This form will help identify important risk factors for increased violence that pertain to the individual and provide strategies to reduce the risk of violence
- When documentation is complete, check the green checkmark in the upper-left corner to complete the VAT form.

		JILLI
HOSPITAL INFORMAT	FION SY	STEM (HIS)
olence Assessment Tool (VAT) - ZZTEST, MHAEIGHT		- 🗆 ×

TID CHEET

Triggers/Contri

To help us provide the best of

gers/Contributing Factors	To help us provide the best ca become agitated, upset or an			ing during your stay that could	cause you to
	Physical considerations		Infection Dther. New medication		
	Psychological considerations	Fear Uncertainly Feeling neglected	Loss of control Being told to calm down Being lectured	Other.	
	Environmental considerations	Noise Lighting Temperature Scents	Privacy Time of day Days of week Visitors	Small spaces/overcrowding Other:	
	Activity considerations	Medication	Changes in routine Resistance to care Other:		
	Unique patient triggers				
	What works to prevent or red	uce the behaviour(s)	e.g. When I am agitated	d, it helps if I	_
	Coping strategies for triggers/contributing factors	Go for a walk Listen to music Watch TV Draw Read (Bible/Book)	Talk 1:1 w	ce and time alone ith (Insert name as comment) in activities amily member of friend	
	<				> In Progress
					interrogress
		Tool (VAT) - 77TFST	MHAEIGHT	

If the score is greater than 4, you will see a flag on patient's name in Care Compass.


SC1B11 - A	4	ZZTEST, MHASEVEN High Risks	•	Mental Health LOS: 10m
SC1B12 - B		Display: VAT Total Score † 7 Normal Range: (3) Date/Time: 08:43 Today		-

To modify an existing assessment, open patients chart. On the blue vertical bar on the left side, select documentation. Double click on the Violence Assessment Tool document. The powerform will open.

VAT Assessment Tool

VAT Triggers/Contributing Factors





For reassessments, to go Adhoc folder and select the Violence Assessment Tool powerform.

niagarahealth

