



© Cerner Corporation. All rights reserved. This document contains Cerner confidential and/or proprietary information belonging to Cerner Corporation and/or its related affiliates which may not be reproduced or transmitted in any form or by any means without the express written consent of Cerner.

Future State: HIM - Deficiency Management: Refusals (Documents to Sign)

Cerner Workflow ID: 10049 (v. 14.0) Client Workflow ID: 506

Last updated by Mayank Malik, Feb 15, 2024 7:04pm (UTC -4 hours)

Workflow Details:

Workflow Name:HIM - Deficiency Management: Refusals (Documents to Sign)Workflow State:Future StateWorkstream:OtherVenue:Acute CareEmergency MedicinePerioperativeClient Owner:PerioperativeStandard:YesRelated Workflow(s):Tags:

Workflow Summary:

Service Line:	
Related Solution(s):	Health Information Management
	PowerChart
Project Name:	Niagara Health System:OPT-0297674:NIAG_CD Niagara HIS RFP
TestBuilder Script(s):	
Cerner Workflow ID:	10049 (v. 14.0)
Client Workflow ID:	506
Workflow Notes:	For the steps to configure and follow the workflow, see Understand
	Refused Documents Workflows.
	With this workflow, physicians can refuse documents in Message Center, Physicians

With this workflow, physicians can refuse documents in Message Center. Physicians can forward

refused documents to a Refusal Inbox monitored by the HIM department, or physicians can forward refused documents to other physicians. The HIM Specialist runs the Refuse to Sign report daily to compile a list of refused documents. The steps for the HIM Specialist to follow to re-assign refused documents differ based on if the document is an anticipated document or not. Refused documents need to be addressed by HIM to ensure the medical record is accurate and documentation is completed in a timely manner.

Introduced By: WS 4 Validated By: WS 6

Swim Lane:

Role(s): Prescriber [Custom]

Department(s):

Security Position(s): Physician - General Surgery



Cerner Workflow ID: 10049 (v. 14.0) Client Workflow ID: 506

Last updated by Mayank Malik, Feb 15, 2024 7:04pm (UTC -4 hours)

Oct 16, 2024

Resident Physician - Hospitalist Nurse Practitioner

Start/Stop [7192]

Description: Prescriber refuses document Method: PowerChart Value Impact: Quality

Decision [6989]

- Description: The prescriber selects the Additional Forward Action of Sign and selects "HIM, Refusal Inbox" in the "To" box.
- Method: PowerChart
- Value Impact: Quality
- Step Impact: Training
 - Comments: Current functionality does not default the "To" field unlike Refused Cosign Orders

System [6987]

Description: Refused document is removed from the prescriber's Message Center Method: PowerChart

System [7069]

Description: The prescriber's HIM deficiency attached to the refused document is removed Method: Deficiency Analysis

Swim Lane:

Role(s): System Automation Department(s): Health Information Management Security Position(s): HIM - Specialist

System [6992]

Description: The document appears in the "HIM, Refusal Inbox" Message Center > Documents to Sign folder

Method: PowerChart

System [7075]

Description: A deficiency is created for the HIM, Refusal Inbox



Future State: HIM - Deficiency Management: Refusals (Documents to Sign)

Cerner Workflow ID: 10049 (v. 14.0) Client Workflow ID: 506

Last updated by Mayank Malik, Feb 15, 2024 7:04pm (UTC -4 hours)

Method: Deficiency Analysis

Swim Lane:

Role(s):	HIM Specialist
	HIM Clerk [Custom]
Department(s):	Health Information Management
Security Position(s):	HIM - Specialist

System [7017]

Description: Run Refuse to Sign report daily from Discern Reporting PortalComments: With package 162939, the Refuse to Sign report is now compliant with multiple facilities and it can be accessed through the Discern Reporting Portal.

Work Step [7064]

Description: Review each row on the Refuse to Sign report

Decision [7028]

Description: Is the refusal an order? Comments: Refuse to Sign report contains order deficiencies.

Off Page Reference [7030]

Workflow Link: HIM - Deficiency Management: Refusals (Cosign Orders)

Work Step [6986]

Description: Open App Bar.exe

Work Step [7019]

Description: Click Patient Deficiency Analysis Method: Deficiency Analysis

Work Step [7063]

Description: Click Find Patient icon Method: Deficiency Analysis

Work Step [7023]

Description: Enter Encounter Number listed on the Refuse to Sign Report Method: Deficiency Analysis



Cerner Workflow ID: 10049 (v. 14.0) Client Workflow ID: 506

Oct 16, 2024

Work Step [7025]

Description: Locate the refused document Method: Deficiency Analysis

Decision [7144]

Description: Is the deficiency an anticipated document?

Off Page Reference [7189]

Workflow Link: HIM - Deficiency Management: Refusals (Anticipated Documents)

Work Step [7056]

Description: Open PowerChart and review encounter information and documentation (if necessary)

Method: PowerChart

Step Impact: Policy/Procedure

Work Step [6975]

Description: In Patient Deficiency Analysis, highlight the HIM, Refusal Inbox name below the refused document

Method: Deficiency Analysis

Comments: If the original provider selects Additional Forward Action of Sign and selects another provider's name in the "To" box, then that provider's name is displayed instead of HIM, Refusal Inbox.

Work Step [6976]

Description: Click Remove Method: Deficiency Analysis

Work Step [7160]

Description: Select prescriber from the Personnel Quick Pick or Provider Selection tool Method: Deficiency Analysis

Work Step [7161]

Description: Click Add Method: Deficiency Analysis



Cerner Workflow ID: 10049 (v. 14.0) Client Workflow ID: 506

Last updated by Mayank Malik, Feb 15, 2024 7:04pm (UTC -4 hours)

Work Step [7166]

Description: Click Submit Method: Deficiency Analysis

System [7209]

Description: Document is removed from the HIM, Refusal Inbox (or selected prescriber) Message Center > Documents to Sign folder

Method: PowerChart

System [7044]

Description: Document appears in selected prescriber's Message Center > Documents to Sign folder

Method: PowerChart

