




DISCHARGE MEDICATION RECONCILIATION

HOSPITAL INFORMATION SYSTEM (HIS)

PRESCRIBERS

1. Navigate to **Home Medications** component on Discharge MPage.



2. Click on the **Discharge to Home** hyperlink to complete Meds Rec.

Home Medications (2) All Visits

*** Required Action.** [More Details](#)

Status: Cross Encounter Transfer **Discharge to Home** [View Details](#)

Medication	Compliance	Supply Remaining	Responsible Provider
HYDRomorphone (HYDRomorphone 1 mg oral tablet) 2 mg = 2 tab, PO, q4h, PRN: pain, 30 tablet(s), 0 Refill(s)	--	0 Refill(s)	Cerner Test, Physician - Emergency Medicine Cerner
naproxen (naproxen 500 mg oral tablet) 500 mg = 1 tab, PO, BID, 60 tablet(s), 0 Refill(s)	--	<input type="checkbox"/> 0 Days Estimated	Cerner Test, Physician - Emergency Medicine Cerner

Document History: Completed by NHS Test02, Physician - Cardiovascular on 29 OCT 2024 at 11:49

3. **Order Reconciliation: Discharge to Home** dialogue box opens.

Order Reconciliation: Discharge to Home - ZZTEST, JASPER

ZZTEST, JASPER MRN:11000525 Allergies: Peanut Attending:Tam, Benjamin ...Loc:SC ADMTU; SCTU01; A
 Admin Sex:Female DOB:01/Jan/2001 Age:23 years Dose Wt:77.000 kg (24-Oc... HCN:ON 5555-555-511
 *Code Status:<No Data A... Isolation:<No Data Availa...Alerts:No Alerts Documen...Inpatient FIN: 22-004954 [Admit Dt: 2024-Oct-04 15:43:...








Reconciliation Status
 Meds History Admission Discharge

Orders Prior to Reconciliation		Orders After Reconciliation	
Order Name/Details	Status	Order Name/Details	Status
Home Medications			
HYDRomorphone (HYDRomorphone ... 2 mg = 2 tab, PO, q4h... - Notes for Pati... [PRN]	<input checked="" type="checkbox"/>	HYDRomorphone (HYDRomorphone ... 2 mg = 2 tab, PO, q4h... - Notes for Pati... [PRN]	Prescribed
naproxen (naproxen 500 mg oral tablet) 500 mg = 1 tab, PO, BID, 6... - Notes for Patient	<input checked="" type="checkbox"/>	naproxen (naproxen 500 mg oral tablet) 500 mg = 1 tab, PO, BID, 6... - Notes for Patient	Prescribed
Medications			


Details


0 Missing Required Details **1 Unreconciled Order(s)**


Order Types and Notification Icons


	Prescriptions: Indicates the order is a prescription
	Home Medications: Indicates the order is a home medication
	Inpatient Medications: Indicates the order is an inpatient medication
	Ambulatory Medications: Indicates the order is an ambulatory medication
	Compliance: Indicates a patient is not taking a medication or not taking the medication as prescribed
	Unreconciled Order: Indicates the order has not yet been reconciled
	Order Details Not Complete: Indicates there are required details that have not been completed for the medication

If Medication(s) should be continued, requiring prescription


1. Select the option to Renew the prescription order under  symbol.




2. Click on the prescription with  symbol to edit details.




- Is the prescription going to be printed and given to the patient?
 - If Yes: Click the "Send To" dropdown and select the appropriate printer to send the prescription to (if not already defaulted) ➡ Click Sign ➡ Printed prescription is retrieved and signed by the prescriber.





- If No: Select the applicable Do Not Send routing option ➡ Click Sign ➡ No prescription is printed.




If Medication(s) should be continued, not requiring prescription


- Select the option to continue the home medication under  symbol.



Note: This functionality is not recommended for Inpatient Medication because this does not generate new Rx (just documented home med). The Continue option will document this medication as a Home Med () that will be available for in the BPMH if the patient returns to the organization.

If Medication(s) should be discontinued

- Select the option to continue the home medication under  symbol.



Adding new medication(s)

1. Select to add a new prescription.

Patient Information: ZZTEST, JASPER, MRN:11000525, Allergies: Peanut, Attending: Tam, Benjamin ... Loc: SC ADMTU; SCTU01; A
 Admin Sex: Female, DOB: 01/Jan/2001, Age: 23 years, Dose Wt: 77.000 kg (24-Oct-2024), HCN: ON 5555-555-511
 *Code Status: Full Code - R1 Isolation: <No Data Availa... Alerts: No Alerts Documen... Inpatient FIN: 22-004954 [Admit Dt: 2024-Oct-04 15:43:...

Reconciliation Status: Meds History Admission Discharge

Order Name/Details	Status	Order Name/Details	Status
Home Medications		HYDROmorphone (HYDROmorphone ... 2 mg = 2 tab, PO, q4h, PRN; pain, 30 ta...	Discontinue
		HYDROmorphone (HYDROmorphone ... 2 mg = 2 tab, PO, q4h... - Notes for Pati...	Prescribe
		naproxen (naproxen 500 mg oral tablet) 500 mg = 1 tab, PO, BID, 6... - Notes for Patient	Prescribed

2. Add Order dialogue box opens. Search the order in the search box and click the desired prescription.

Search: toprolol 25 mg po bid

Advanced Options Type: Prescriptions

- metoprolol tartrate 25 mg oral tablet (= 1 tab, PO, BID)
- metoprolol tartrate 25 mg oral tablet (= 1 tab, PO, BID, # 60 tab)
- metoprolol tartrate 25 mg oral tablet (= 1 tab, PO, BID, # 180 tab)

Enter to Search

3. Click on the prescription with symbol to edit details.

metoprolol (metoprolol tartrate 25 mg ... Prescribe
25 mg = 1 tab, PO, BID, ... - Notes for Patient

4. Is the prescription going to be printed and given to the patient?
 - If Yes: Click the "Send To" dropdown and select the appropriate printer to send the prescription to (if not already defaulted) ➡ Click Sign ➡ Printed prescription is retrieved and signed by the prescriber.

ne 1 mg oral tablet) Find pharmacy...
 Send To: Select Routing
 KP3DB013 on SCS-PS01.res.lhiniv.net (from FC1AH099) in session 116
 Microsoft Print to PDF

- If No: Select the applicable Do Not Send routing option ➡ Click Sign ➡ No prescription is printed.

Do Not Send: called to pharmacy (Rx)
 Do Not Send: samples given to patient (Rx)
 Do Not Send: handwritten controlled substance (Rx)
 More "Do Not Send" Reasons




DISCHARGE MEDICATION RECONCILIATION

HOSPITAL INFORMATION SYSTEM (HIS)

Notes and Considerations

Note: For the acute venue the most appropriate location in the system to create new Rx is in the discharge meds rec window; you can also order Rx through new OE components in the system but need to make sure you make sure you choose the **Prescription** toggle/tab.

Search:  Prescriptions"/>

Home Medication

- Original home medication that was documented will be a separate line item from the therapeutically substituted medication. Prescribers should only continue one of them.

Inpatient Medication

- Therapeutically substituted med(s) can be reverted to the original form the patient was taking at home prior to admission.
- The Continue option will document this medication as a Home Med (scroll icon) that will be available for in the BPMH if the patient returns to the organization.

Prescription Medication

- Typically, any new prescriptions that are needed based on this patient's stay will be created in this Discharge Meds Rec window. You may also see prescriptions documented on an Inpatient stay if the medication was prescribed in Powerchart at another Outpatient encounter.
- If a prescriber wrote a new Rx during the patient's stay, that med is automatically going to be Continued in the Discharge Meds Rec window.
- If the prescriber notices a mistake in the prescription details or wants to change any of those details, the prescriber should click the Prescription/Pill Bottle icon to discontinue the old Rx and update details on the new Rx.
- If a prescriber wrote a new Rx during the patient's stay, that med is automatically going to be Continued in the Discharge Meds Rec window. If the prescriber does not want the patient to go home with this prescription, they should click the Do Not Continue column to discontinue the medication.