
Niagara Health System



© Cerner Corporation. All rights reserved. This document contains Cerner confidential and/or proprietary information belonging to Cerner Corporation and/or its related affiliates which may not be reproduced or transmitted in any form or by any means without the express written consent of Cerner.

Last updated by Meighan White, Mar 19, 2024 4:20pm (UTC -4 hours)

Niagara Health System

Future State: Women and Babies - Acute - Intraoperative Medication Administration

Cerner Workflow ID: 583 (v. 11.0) Client Workflow ID: 1160

Last updated by Meighan White, Mar 19, 2024 4:20pm (UTC -4 hours)

Workflow Details:

Workflow Name: Women and Babies - Acute - Intraoperative Medication Administration Workflow State: Future State Workstream: Medication Venue: Perioperative Client Owner: Dickey, Kelly Cerner Owner: White, Meighan Kathryn Moore Standard: No Related Workflow(s): Tags:

Workflow Summary:

Service Line:	
Related Solution(s):	Point of Care
	Surgical Management
Project Name:	Niagara Health System:OPT-0297674:NIAG_CD Niagara HIS RFP
TestBuilder Script(s):	
Cerner Workflow ID:	583 (v. 11.0)
Client Workflow ID:	1160
Workflow Notes:	The intent of this workflow is to define the basic steps involved in documenting medication administration by the nursing staff throughout the perioperative venue. Further details regarding order set ordering, meds rec, etc., should be found within the broader Perioperative workflows (e.g. Scheduling, PAT, Preop, etc.).
Introduced By: Validated By:	

Swim Lane:

Role(s): OR Nurse [Custom] Department(s): Security Position(s): Perioperative - Nurse

Start/Stop [24195]

Description: The patient requires medications intraoperatively to be given by Surgeon or OB RN

Work Step [23868]

Description: Retrieve medications to be administered intraoperatively

Decision [23881]

Description: Is the patient ID Band accessible?



Future State: Women and Babies - Acute - Intraoperative Medication Administration

Cerner Workflow ID: 583 (v. 11.0) Client Workflow ID: 1160

Last updated by Meighan White, Mar 19, 2024 4:20pm (UTC -4 hours)

Work Step [23705]

Description: Open Medication Administration Wizard (MAW) and scan wristband Method: PowerChart

Value Impact: Patient Safety

Comments: For state's that require dual verification, the nurse's badge barcode can also be scanned.

Work Step [24038]

Description: Click create order and document

Decision [23791]

Description: Does medication require mixing by the Nurse?

Work Step [23735]

Description: Scan medication barcode

Method: PowerChart

Value Impact: Patient Safety

Work Step [23680]

Description: Enter any additional required charting elements/update dosage totals and sign documentation.

Method: PowerChart

Comments: Performed by field: Who is physically administering it Witnessed by field: Witness for certain medication classes Comments: Use to denote who constitued the medication if not the performing by.

Decision [24055]

Description: Is this a high alert medication requiring an independent double check?

Decision [23716]

Description: Have all medications been scanned/documented?

Work Step [23950]

Description: Close the MAW



Future State: Women and Babies - Acute - Intraoperative Medication Administration

Cerner Workflow ID: 583 (v. 11.0) Client Workflow ID: 1160

Last updated by Meighan White, Mar 19, 2024 4:20pm (UTC -4 hours)

Work Step [23645]

Description: End of Medication Administration Process Method: PowerChart

Work Step [23883]

- Description: Open Medication Administration Wizard (MAW), bypass wristband scan and select "Operating Room/Procedure"
 - Method: PowerChart
- Comments: Ideally, the wristband should be scanned, but due to the difficulty with gaining access to the band while the patient is draped, and given that the patient has already been positively identified during the Procedure Timeout performed within the room, the wristband scan can be bypassed when necessary.

Off Page Reference [24085]

Workflow Link: Phys Track- Acute Care - Verbal/Telephone Entry

Work Step [23794]

Description: Each medication/ ingredient must be scanned separately as medication is mixed Method: PowerChart

Work Step [24054]

- Description: Populate witness field with nurse's name and follow prompt to have independent nurse signature
- Comments: Performed by field: Who is physically administering itWitnessed by field: Witness for certain medication classesComments: Use to denote who constitued the medication if not the performing by.

Swim Lane:

Role(s): Women and Babies Provider [Custom] Surgeon

Department(s):

Security Position(s): Physician - Women's Health

Work Step [23954]

Description: Assess the need for Intraoperative Medications and inform OR Nurse Comments: Within the Main OR, Verbal Orders for Co-Sig can be used as the



Future State: Women and Babies - Acute - Intraoperative Medication Administration

Cerner Workflow ID: 583 (v. 11.0) Client Workflow ID: 1160

Last updated by Meighan White, Mar 19, 2024 4:20pm (UTC -4 hours)

Surgeon will often be scrubbed.

Within Endoscopy, orders MUST be placed before the procedure in a planned state as a SURG phased PowerPlan.

Work Step [23957]

Description: Communicate medications with Verbal Order for Co Signature

Work Step [23955]

Description: Administer Medications as planned communicating dose, route etc. with Procedure/OR Nurse for documentation

Work Step [23968]

Description: After procedure is complete: Co-Sign the Verbal Order

Work Step [23970]

Description: End of Medication Administration Process

Facilities:

Facility Name: St. Catharines Status: Pending Approval Facility Cerner Owner: Facility Client Owner: Authorize Date: Facility Comments:

